


FIRE-RETARDANT ROOFING

1. Areas of the unincorporated portion of Placer County which are east of the boundary created by a course along Sierra College Boulevard from the Sacramento County line to Interstate 80 then to State Route 49 then to the Nevada County line are in an area designated as VERY HIGH FIRE HAZARD SEVERITY ZONE.
2. All new construction in the VERY HIGH FIRE HAZARD SEVERITY ZONE, including additions, requires a minimum Class A roof covering. All other areas of Placer County require a minimum Class B roof covering. Re-roofing in excess of 50% of an existing structure within any one-year period shall comply with the provisions of the current regulations.
3. Spaced roof sheathing is permitted when installed in accordance with UBC Table 15-B-2 & Tables 23-II-D-1, 23-II-D-2, 23-II-E-1 & 23-II-E-2 when the design roof live load or snow load is less than 30 PSF and spaced roof sheathing is not prohibited by the required listing of the roofing material or by the designer. (Placer County Code §4.20 (q)(1))
4. Any discrepancy in the designation of an area will need to be reviewed by the California Division of Forestry or the local fire district.
5. The roofing installer shall provide a completed *Certificate of Compliance* to the field inspector prior to final inspection of the structure.



CALIFORNIA HEALTH AND SAFETY CODE §13132.7(d)(1): ...on or after January 1, 1997, within very high fire severity zones designated by the Director of Forestry and Fire Protection pursuant to Article 9 (commencing with Section 4201) of Chapter 1 of Part 2 of Division 4 of the Public Resources Code or by a local agency pursuant to Chapter 6.8 (commencing with Section 51175) of Part 1 of Division 1 of Title 5 of the Government Code, every new structure, and every existing structure when 50 percent or more of the total roof area is reroofed within any one-year period commencing on any date on or after January 1, 1997, shall have a fire retardant roof covering that is at least Class A as defined in the Uniform Building Code as adopted and amended by the State Building Standards Commission.



**PLACER COUNTY
BUILDING DEPARTMENT
AUBURN, CALIFORNIA**

PLACER COUNTY CODE

DATE: November 1, 2002

CLASS A FIRE RETARDANT ROOFING CERTIFICATE OF COMPLIANCE

This is to certify that the roof covering
Installed on the structure identified below
Meets the requirements for a *Class A Roof
Covering* as required for the location of the
Structure.

BUILDING PERMIT NUMBER

ASSESSOR'S PARCEL NUMBER

PROPERTY OWNER

BUILDING ADDRESS

ROOFING MANUFACTURER

ROOFING TYPE

INSTALLER (PRINT)

CONTRACTOR'S LICENSE NUMBER

SIGNATURE (INSTALLER)

TITLE

DATE

The roofing installer shall provide this completed
Certificate of Compliance to the field inspector prior
to final inspection of the structure.